

BloodStor® 100



Biopreservation Reagent For Cells And Tissues

Scientists Helping Scientists™ | WWW.STEMCELL.COM

Catalog #	07951	50 mL
	07939	100 mL
	07938	5 x 100 mL

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Product Description

BloodStor® is a series of generic cGMP freeze media products used to cryopreserve stem cells and other cells isolated from umbilical cord blood, peripheral blood, bone marrow, and other biologics. BloodStor® 100 contains 100% dimethyl sulfoxide (DMSO) USP.

- Sterile, USP vial
- USP grade / highest quality components
- Filled under cGMP
- Sterility and endotoxin tested

Properties

Storage: Store at 15 - 25°C.

Shelf Life: Stable until expiry date (EXP) on label. Product should be protected from prolonged exposure to light.

Contains: 100% dimethyl sulfoxide (DMSO)

Please refer to the Safety Data Sheet (SDS) for hazard information.

BloodStor® 100 will solidify at temperatures below 18°C. Allow product to thaw at room temperature (18 - 25°C) upon receipt and mix gently. Product performance is not affected.

Handling / Directions For Use

FREEZING

1. Wipe down the outside of the cryopreservation reagent container and desired culture medium bottle with 70% ethanol or isopropanol before opening.
2. Prepare desired formulation of cryopreservation media (e.g. 1 part BloodStor® 100 in 9 parts culture medium) and keep cold (2 - 8°C).
3. Obtain a cell suspension using a cell specific protocol and centrifuge cells to obtain a cell pellet.
4. Carefully remove the supernatant with a pipette, leaving a small amount of medium to ensure the cell pellet is not disturbed. Resuspend the cell pellet by gently flicking the tube.
5. Add cold (2 - 8°C) cryopreservation medium, mix thoroughly and transfer the suspension to a cryovial.
6. Freeze cells using a standard slow rate-controlled cooling protocol (approximately -1°C/minute) or an isopropanol freezing container and store at liquid nitrogen temperature (-135°C).

NOTE: Long-term storage at -80°C is not recommended.

THAWING

1. Warm medium of choice in a 37°C water bath.
2. Wipe the outside of the vial of cells with 70% ethanol or isopropanol.
3. In a biosafety hood, twist the cap a quarter-turn to relieve internal pressure and then retighten.
4. Quickly thaw cells in a 37°C water bath by gently shaking the vial. Remove the vial when a small frozen cell pellet remains. Do not vortex cells.
5. Wipe the outside of the vial with 70% ethanol or isopropanol.
6. Dilute in warmed medium of choice at a ratio of 1 part sample in 10 parts medium.
7. Centrifuge the cell suspension at 300 x g for 10 minutes at room temperature (15 - 25°C).
8. Carefully remove the supernatant with a pipette, leaving a small amount of medium to ensure the cell pellet is not disturbed. Resuspend the cell pellet by gently flicking the tube.
9. Gently add medium to the tube.
10. Repeat steps 7 and 8.

THIS PRODUCT IS MANUFACTURED UNDER A cGMP QUALITY MANAGEMENT SYSTEM COMPLIANT TO 21 CFR 820.

Copyright © 2016 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design and Scientists Helping Scientists are trademarks of STEMCELL Technologies Inc. BloodStor is a registered trademark of BioLife Solutions. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.