StemSpan™ H3000 Cat. No: 09800, 09850

1 Product and Company Identification

1.1 Product Name: StemSpan™ H3000

1.2 Catalogue Number: 09800, 098501.3 Synonyms: Not Available1.4 Product Use: Cell Culture

1.5 Manufacturer/Supplier: STEMCELL Technologies Inc.

Suite 400, 570 West 7th Avenue Vancouver, BC V5Z 1B3

Canada

1.6 In Case of Emergency Call: 604-877-0713
1.7 Date Effective: August 18, 2014
1.8 Prepared By: Quality Control

2 Composition / Information on Ingredients

2.1 Component CAS No. %W/W

Potentially biohazardous material

derived from human blood.

Not Available

Not Available

3 Hazards Identification

3.1 Emergency Overview: Contains components derived from human blood. As with all human

derivatives, universal handling precautions are recommended. This product is a potential irritant to eyes, respiratory system, and skin. This product may also be harmful if ingested. Complete toxicological

properties have yet to be determined.

3.2 Routes of Exposure: Absorbed through skin, eye contact, inhalation, and ingestion.

3.3 Potential Health Effects:

3.3.1 Eye: May cause eye irritation.3.3.2 Skin: May cause skin irritation.

3.3.3 Inhalation: May be harmful if inhaled. Material may be irritating to mucous

membranes and upper respiratory tract.

3.3.4 Ingestion: May be harmful if swallowed.

3.4 Chronic Effects/Carcinogenicity: Not Available3.5 OSHA Regulatory Status: Not Available

4 First Aid Measures

4.1 Eyes: In case of contact with eyes, remove contact lenses and flush thoroughly with water for at

least 15 minutes. Separate lids with fingers to assure adequate flushing. Call a physician.

4.2 Skin: In case of contact with skin, wash the affected area with soap and copious amounts of

water. Should irritation occur, contact a physician.

4.3 Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

4.4 Inhalation: If inhaled, remove person to fresh air. If breathing becomes difficult, call a physician.

4.5 Puncture Wounds: Wash thoroughly with soap and water. Allow to bleed freely. Call a physician.

4.6 Note to Physician: Not Available

5 Fire Fighting Measures

5.1 Flash Point/Method: Not Available

5.2 Explosive Limits:

5.2.1 Upper: Not Available
5.2.2 Lower: Not Available
5.3 Autoignition Temperature: Not Available
5.4 Hazardous Combustion Products: Not Available
5.5 Conditions of Flammability: Not Available

5.6 Extinguishing Media: Use whatever is appropriate to the surrounding fire.

5.7 Fire Fighting Procedures: Not Available – No toxic waste in run-off.

5.8 Explosion Data:

5.8.1 Sensitivity to Mechanical Impact: Not Available5.8.2 Sensitivity to Static Discharge: Not Available

6 Accidental Release Measures

6.1 Leak and Spill Procedure: Wear chemical-resistant gloves. Absorb spill and place in closed

container for disposal. Ventilate and wash area thoroughly after clean-

up is complete.

7 Handling and Storage

7.1 Handling: Contains components derived from human blood. Donors have been tested for hepatitis

B surface antigen (HBsAg) and anti-HIV-1 and/or HIV-1 antigen. However, this product should be considered potentially infectious and treated in accordance with universal bandling productions. May some allergic reaction in application individuals

handling precautions. May cause allergic reaction in sensitized individuals.

7.2 Storage: Store at -20°C. Keep tightly closed.

8 Exposure Controls / Personal Protection

8.1 Engineering Controls: Use with adequate ventilation.

8.2 Personal Protective Equipment:

8.2.1 Respiratory Protection: This is a laboratory-use product for which no industrial protective

equipment has been designated.

8.2.2 Eye Protection: Safety glasses.

8.2.3 Skin Protection: Lab coat, latex gloves.8.3 General Hygiene Considerations: Wash hands after use.

8.4 Exposure Limits:

StemSpan™ H3000 Cat. No: 09800, 09850

8.4.1 ACGIH TLV-TWA: Not Available8.4.2 OSHA PEL-TWA: Not Available

9 Physical / Chemical Properties

9.1 Appearance: Transparent, red fluid

9.2 Odor: None
 9.3 Physical State: Liquid
 9.4 pH: 7.2 - 7.4

9.5 Boiling Point: Not Available 9.6 Melting Point: Not Available 9.7 Freezing Point: Not Available 9.8 Vapor Pressure: Not Available 9.9 Vapor Density: Not Available 9.10 Specific Gravity: Not Available 9.11 Evaporation Rate: Not Available 9.12 Solubility in Water: Not Available 9.13 Odor Threshold: Not Available

9.14 Coefficient of Water/Oil Distribution: Not Available

10 Stability / Reactivity

10.1 Chemical Stability: Stable

10.2 Conditions to Avoid: Not Available10.3 Incompatibility (Material to Avoid): Not Available

10.4 Hazardous Decomposition/By-Products: Nature of decomposition products not known.

10.5 Hazardous Polymerization: Not Available

11 Toxicological Information

Not Available 11.1 Effects of Short-Term Exposure: 11.2 Effects of Long-Term Exposure: Not Available 11.3 Irritancy of Product: Not Available 11.4 Sensitization to Product: Not Available Not Available 11.5 Carcinogenicity: 11.6 Reproductive Toxicity: Not Available 11.7 Teratogenicity and Embryotoxicity: Not Available Not Available 11.8 Mutagenicity: 11.9 Name of Toxicologically Synergistic Products: Not Available 11.10 LD50 (specify species and route): Not Available

Material Safety Data Sheet

StemSpan™ H3000 Cat. No: 09800, 09850

11.11 LC50 (specify species): Not Available

12 Ecological Information

12.1 Not Available

13 Disposal Considerations

13.1 Waste Disposal Method: Disposal should be in accordance with existing practices at your

institution. Observe all Federal, Provincial/State and Local Laws.

14 Transport Information

14.1 Transport Canada

14.1.1 PIN No.: Not Available

14.2 U.S. Department of Transportation:

14.2.1 Proper Shipping Name: Not Available

14.2.2 Hazard Class: This substance is not known to be hazardous for transport.

14.2.3 ID. Number: Not Available
14.2.4 Packing Group: Not Available
14.2.5 Label Statement: Not Available

15 Regulatory Information

15.1 WHMIS Classification: D3

15.2 Note: This MSDS was prepared according to the Canadian Controlled Products Regulation and

contains all the information required by those regulations.

16 Other Information

16.1 Preparation Information: Refer to PIS No. 09800, 09850

16.2 This MSDS has been revised in the following section(s): 9.4, 9.5, 9.7, 16.5

16.3 Original Issue Date: January 27, 1999

16.4 Notice: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. STEMCELL Technologies Inc., shall not be held liable for any damage resulting from handling or from contact with the product. The information contained in this Material Safety Data Sheet (MSDS) is current as of the Date Prepared the product in Section 1.7 of this decument and may be subject to approximant by

shown in Section 1.7 of this document and may be subject to ammendment by

STEMCELL Technologies Inc.

16.5 THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES.