

Anti-Dextran Antibody, Clone DX1, FITC

Mouse monoclonal IgG1 antibody against dextran, FITC-conjugated

Catalog #60026FI.1 25 Tests 20 μ L/test Catalog #100-1575 100 Tests 20 μ L/test

Product Description

This monoclonal antibody reacts with dextran, a natural polysaccharide consisting of linear chains of alpha-1,6-linked D-glucopyranose residues with short side chains (mostly 1 - 2 glucose units) 1,3- or 1,4-linked to the backbone of the biopolymer. Dextran has several uses as an additive in food, in lacquers, as a plasma volume expander, and as a coating for particles used in bioimaging or cell separation applications. The DX1 antibody was raised against isomaltotetraose (four sugar units in length) but binds better to longer polymer chains. It is also known to bind to amino-dextran, though with lower affinity. This antibody can be used to detect cells labelled with dextran-coated nanoparticles during StemSep™ and EasySep™ cell separation procedures or for other applications that require the detection of dextran.

Target Antigen:	Dextran
Alternative Names:	Not applicable
Gene ID:	Not applicable
Species Reactivity:	Not applicable
Host Species:	Mouse
Clonality:	Monoclonal
Clone:	DX1
sotype:	lgG1, kappa
mmunogen:	Stearyl-isomaltotetraose
Conjugate:	FITC (Fluorescein isothiocyanate)

Applications

Verified Applications: CellSep, FC

Reported Applications: FA, FC, ICC, IF

Special Applications: This antibody clone has been verified for purity assessments of cells isolated with EasySep™ kits,

including EasySep™ Human T Cell Enrichment Kit (Catalog #19051) and EasySep™ Human CD4+ T Cell

Enrichment Kit (Catalog #19052).

Abbreviations: CellSep: Cell separation; ChIP: Chromatin immunoprecipitation; FA: Functional assay; FACS: Fluorescence-activated cell sorting; FC: Flow cytometry; FCXM: Flow cytometric crossmatch assay; FISH: Fluorescence in situ hybridization; ICC: Immunocytochemistry; IF: Immunofluorescence microscopy; IHC: Immunohistochemistry; IHC-F: Immunohistochemistry (frozen-tissue); IHC-P: Immunohistochemistry (paraffin-embedded); IP: Immunoprecipitation; NMR: Nuclear magnetic resonance spectroscopy; RIA: Radioimmunoassay; WB: Western blotting

Properties

Product Formulation: Phosphate-buffered saline containing less than 0.1% (w/v) sodium azide and less than 0.1% (w/v) bovine

serum albumin

Purification: The antibody was purified by affinity chromatography and conjugated with FITC under optimal

conditions.

Stability and Storage: Product stable at 2 - 8°C when stored undiluted. Do not freeze. Protect product from prolonged


exposure to light. For product expiry date, contact techsupport@stemcell.com.

Directions for Use: For flow cytometry, the suggested use of this antibody is 20 μL per 1 x 10⁻⁶ cells in 100 μL volume or

per 100 µL of whole blood. It is recommended that the antibody be titrated for optimal performance for

each application.

Data



Flow cytometry analysis of C57BL/6 mouse bone marrow cells processed with the EasySep™ Mouse CD11b Positive Selection Kit (Catalog #18770) and labeled with Anti-Dextran, Clone DX1, FITC (filled histogram) or a mouse IgG1, kappa FITC isotype control antibody (solid line histogram).

Related Products

For a complete list of antibodies, including other conjugates, sizes, and clones, as well as related products available from STEMCELL Technologies, visit www.stemcell.com/antibodies, or contact us at techsupport@stemcell.com.

References

Kruttwig K et al. (2010) Development of a three-dimensional in vitro model for longitudinal observation of cell behavior: monitoring by magnetic resonance imaging and optical imaging. Mol Imaging Biol 12(4): 367–76.

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2024 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, Scientists Helping Scientists and EasySep are trademarks of STEMCELL Technologies Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.