

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022 Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Section 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Document Number 10000015304

Product Name EasyPlate™ EasySep™ Magnet

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory equipment

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>

STEMCELL Technologies SARL

40 Rue des Berges, Miniparc Polytec, Bâtiment Sirocco, 38000 Grenoble, France

+33 (0) 4 76 04 75 30

STEMCELL Technologies Germany GmbH

Stolberger Str. 200, 50933, Köln, Germany

+33 (0) 4 76 04 75 30

STEMCELL Technologies UK Ltd.

Building 7100, Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, UK, CB25 9TL

+33 (0) 4 76 04 75 30

For further information, please contact

1.4. Emergency telephone number

Emergency Telephone No information available

Emergency Telephone - §45 - (EC)127	72/2008
Europe	112

Section 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.3. Other hazards

STRONG MAGNETIC FIELD: keep away from pacemakers

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Chemical name	EC no.	CAS No.	Weight-%	Classification according to	REACH
				Regulation (EC) No.	Registration
				1272/2008 [CLP]	Number
Aluminum (metal)	231-072-3	7429-90-5	0.5	Flam. Sol. 1 (H228)	No data
, ,				Water-react. 2 (H261)	available

Full text of H- and EUH-phrases: see section 16

Section 4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available. May cause itching, rashes, hives, burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

18102 - EasyPlate™ EasySep™ Magnet

Revision Number 1

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Section 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

environment.

Unsuitable extinguishing media Do not use water, carbon dioxide gas, halogen gas and quenching liquid.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Incombustible in a solid state.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Section 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazardsClean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Section 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

STRONG MAGNETIC FIELD: keep away from pacemakers, magnets, computer disks,

watches, magnetic cards, and other objects that respond to magnetic fields.

Take care not to pinch fingers or any other parts of the body when handling magnets as a very strong force is generated, attracting other magnets and other iron-containing material.

DO NOT OPEN OR REMOVE MAGNET FROM HOUSING.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with information listed on the Product Information Sheet (PIS).

Store in a dry place free from corrosive material.

7.3. Specific end use(s)

Identified Uses

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Aluminum (metal)	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³	TWA: 1.25 mg/m ³
7429-90-5		TWA: 4 mg/m ³	TWA: 5 mg/m ³		TWA: 10 mg/m ³
		STEL: 30 mg/m ³			
		STEL: 12 mg/m ³			
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Aluminum (metal)	-	TWA: 10 mg/m ³	-	TWA: 1.5 mg/m ³	TWA: 5 mg/m ³
7429-90-5		TWA: 5 mg/m ³			TWA: 2 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Aluminum (metal)	TWA: 10 mg/m ³	TWA: 3 mg/m ³	TWA: 2.5 mg/m ³	TWA: 5 mg/m ³	TWA: 1 mg/m ³
7429-90-5	STEL 20 mg/m ³		TWA: 1.2 mg/m ³	STEL: 10 mg/m ³	STEL: 3 mg/m ³

Biological occupational exposure limits

Chemical na	me European U	nion United Kingdom	France	Spain	Germany
Aluminum (me	etal) -	-	-	-	50 μg/g Creatinine
7429-90-5					



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

18102 - EasyPlate™ EasySep™ Magnet

Revision Number 1

Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Aluminum (metal)	-	-	-	-	-
7429-90-5					
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Aluminum (metal)	-	50	-	-	-

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protectionNo special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance No information available

Color Blue

OdorNo data availableOdor thresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known Melting point / freezing point Approximately 1485 k None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone knownWater solubilityInsolubleNone knownSolubility(ies)Soluble in acidNone known

Note: dipping into water or acid for a

long time can rust and/or elute boron.

Partition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties No information available

Oxidizing properties No information available

9.2. Other information

Softening pointNo information availableMolecular weightNo information availableMolecular formulaNo information availableVOC Content (%)No information availableLiquid DensityNo information available

Bulk density 7.4 - 7.7 g/cm³

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under recommended transport or storage conditions.

Rusting gradually in water or oxygen gas.

Reacts with acids, oxidizing agents or halogens

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None. 10.3. Possibility of hazardous reactions



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Possibility of hazardous reactions None

None under normal processing.

10.4. Conditions to avoid

Conditions to avoid

Do not use or store in the following conditions: acidic, alkaline or organic solvent, water or oil, electrically conductive liquid, hydrogen or corrosive gases, exposure to radioactive rays.

10.5. Incompatible materials

Incompatible materials

Acids, oxidizing agents, halogens

10.6. Hazardous decomposition products

Hazardous decomposition products

Dipping into water or acid for a long duration can form hydrogen gas.

Reaction with strong acid can produce hazardous fumes

Section 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Specific test data for the substance or mixture is

not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of

the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

Acute toxicity No data available



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

18102 - EasyPlate™ EasySep™ Magnet

Revision Number 1

Unknown acute toxicity

98 % of the mixture consists of ingredient(s) of unknown toxicity

- 89.475 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 98 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum (metal)			> 0.888 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available
Skin corrosion/irritation	No information available.

Product Information

Serious eye damage/eye irritation No information available.

Product Information

Respiratory or skin sensitization No information available.

Product Information

Germ cell mutagenicity No information available.

Product Information

Carcinogenicity No information available.

Product Information

Reproductive toxicityNo information available.

Product Information		
STOT - single exposure	No information available.	
Product Information		

STOT - repeated exposureNo information available.

Product Information

Aspiration hazard No information available.

Section 12. ECOLOGICAL INFORMATION

12.1. Toxicity

EcotoxicityThe environmental impact of this product has not been fully investigated.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Page **8** of **12**



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Product Information

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Aluminum (metal)	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Other adverse effects

Other adverse effects Immersing in water or acid for a long duration can elute boron.

Section 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Dispose in closed container made of non-magnetic material

Keep away from any possible contact with water

Avoid cutting or smashing magnet as sparks thereof may cause fire in the inflammable

atmosphere

Contaminated packaging Do not reuse empty containers.

Section 14. TRANSPORT INFORMATION



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

IMDG

14.1 UN Number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Marine pollutant Not applicable None

14.6 Special Provisions 14.7. Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

RID

14.1 UN Number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated Not applicable 14.5 Environmental hazard None

14.6 Special Provisions

<u>ADR</u>

14.1 UN Number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Environmental hazard Not applicable

14.6 Special Provisions None

Not regulated IATA 14.1 UN Number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Environmental hazard Not applicable

14.6 Special Provisions None

Section 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

 •		
Chemical name	French RG number	Title
Aluminum (metal)	RG 32	-
7429-90-5	RG 16,RG 16bis	



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

18102 - EasyPlate™ EasySep™ Magnet

Revision Number 1

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Trade secret	75.	
Trade secret	30.	
	28.	
	75.	
Trade secret	75.	
Aluminum (metal) - 7429-90-5	75.	

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

TSCA Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply **AICS** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2022

Revision Number 1

18102 - EasyPlate™ EasySep™ Magnet

Chemical Safety Report No information available

Section 16. OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H228 - Flammable solid

H261 - In contact with water releases flammable gases

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Revision Date 14-Jun-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. STEMCELL Technologies Inc. shall not be held liable for any damage resulting from handling or from contact with the product.