

# Anti-Human TNF-alpha Antibody, Clone MT15B15, Biotin

Mouse monoclonal antibody against human TNF-alpha, biotin-conjugated

| Catalog #100-1463 | 250 μg | 0.5 mg/mL |
|-------------------|--------|-----------|
|                   |        |           |

## **Product Description**

This mouse monoclonal antibody (clone MT15B15) reacts with human tumor necrosis factor alpha (TNF- $\alpha$ ). TNF- $\alpha$  is a pro-inflammatory cytokine primarily produced by macrophages and T cells in response to infection and inflammation. Initially generated as a ~26 kDa transmembrane precursor, TNF- $\alpha$  is then processed by metalloproteinases into a ~17 kDa soluble product. Both forms of TNF- $\alpha$  are active in trimeric form and exert their effects via binding to either TNFR1, present on the surface of nearly all human cell types, or TNFR2, which is localized to immune and endothelial cells. First described as having tumor-necrotic action, TNF- $\alpha$  signaling results in an inflammatory response that includes vasodilation and edema formation, adhesion of leukocytes to the epithelium, and blood coagulation. TNF- $\alpha$  also plays a key role in defense against bacterial, viral, and parasitic infections. The MT15B15 antibody is suitable for the detection of intracellular TNF- $\alpha$  by flow cytometry.

| Target Antigen:     | TNF-alpha  |
|---------------------|--|
| Alternative Names:  | Cachectin, DIF, DIF-alpha, differentiation inducing factor, TNF, TNF- $\alpha$ , TNF-a, TNFa, TNFA, TNFSF2, TNLG1F, tumor necrosis factor, tumor necrosis factor- $\alpha$ |
| Gene ID:            | 7124   |
| Species Reactivity: | Human  |
| Host Species:       | Mouse  |
| Clonality:          | Monoclonal   |
| Clone:              | MT15B15  |
| Isotype:            | lgG1   |
| Immunogen:          | Recombinant human TNF-α  |
| Conjugate:          | Riotin   |

### **Applications**

Reported Applications: ELISA, ELISpot, FC

Abbreviations: CellSep: Cell separation; ChIP: Chromatin immunoprecipitation; FA: Functional assay; FACS: Fluorescence-activated cell sorting; FC: Flow cytometry; FCXM: Flow cytometric crossmatch assay; FISH: Fluorescence in situ hybridization; ICC: Immunocytochemistry; IF: Immunofluorescence microscopy; IHC: Immunohistochemistry; IHC-F: Immunohistochemistry (frozen-tissue); IHC-P: Immunohistochemistry (paraffin-embedded); IP: Immunoprecipitation; NMR: Nuclear magnetic resonance spectroscopy; RIA: Radioimmunoassay; WB: Western blotting

#### **Properties**

**Purification:** The antibody was purified by affinity chromatography and conjugated with biotin.

Stability and Storage: Product stable at 2 - 8°C when stored undiluted. Do not freeze. Stable until expiry date (EXP) on label.

Directions for Use: For flow cytometry, the suggested use of this antibody is  $0.2 \mu g$  per  $1 \times 10^6$  cells in  $100 \mu L$ . It is

recommended that the antibody be titrated for optimal performance for each application.

#### **Related Products**

For a complete list of antibodies, including other conjugates, sizes, and clones, as well as related products available from STEMCELL Technologies, visit www.stemcell.com/antibodies, or contact us at techsupport@stemcell.com.

#### References

Bradley JR. (2008) TNF-mediated inflammatory disease. J Pathol 214(2): 149-60.

Carswell E et al. (1975) An endotoxin-induced serum factor that causes necrosis of tumors. Proc Natl Acad Sci U S A 72(9): 3666-70.

Enyindah-Asonye G et al. (2020) Overexpression of CD6 and PD-1 identifies dysfunctional CD8+ T-cells during chronic SIV infection of rhesus macaques. Front Immunol 10: 3005.

Horiuchi T et al. (2010) Transmembrane TNF-α: structure, function and interaction with anti-TNF agents. Rheumatology (Oxford) 49(7): 1215–28.

Zelová H & Hošek J. (2013) TNF-α signalling and inflammation: interactions between old acquaintances. Inflamm Res 62(7): 641–51.

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2024 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.