Neurodazine

Small Molecules

Inducer of neural differentiation

STEMCELLTM TECHNOLOGIES

Scientists Helping Scientists™ | www.stemcell.com

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713 INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Catalog # 73292

10 mg

Product Description

Neurodazine is a cell-permeable tri-substituted imidazole and neurogenic agent (Williams et al. 2007).

Molecular Name:NeurodazineAlternative Names:Not applicableCAS Number:937807-66-4Chemical Formula: $C_{27}H_{21}CIN_2O_3$ Molecular Weight:456.9 g/molPurity: $\geq 98\%$

Chemical Name: 2-[5-(3-chlorophenyl)-2-furanyl]-4,5-bis(4-methoxyphenyl)-1H-imidazole

Structure:

Properties

Physical Appearance: A crystalline solid

Storage: Product stable at -20°C as supplied. Protect from prolonged exposure to light.

Stable as supplied for 12 months from date of receipt.

Solubility: \cdot DMSO \leq 20 mM

· Absolute ethanol ≤ 20 mM

For example, to prepare a 10 mM stock solution in DMSO, resuspend 10 mg in 2.19 mL of DMSO.

Prepare stock solution fresh before use. Information regarding stability of small molecules in solution has rarely been reported, however, as a general guide we recommend storage in DMSO at -20°C. Aliquot into working volumes to avoid repeated freeze-thaw cycles. The effect of storage of stock solution on compound performance should be tested for each application.

Compound has low solubility in aqueous media. For use as a cell culture supplement, stock solution should be diluted into culture medium immediately before use. Avoid final DMSO concentration above 0.1% due to potential cell toxicity.

Small Molecules Neurodazine



Published Applications

DIFFERENTIATION

- · Induces neurogenesis of C2C12 myoblasts as well as mature human muscle cells, marked by upregulation of neural genes (Williams et al. 2007; Williams et al. 2008).
- · Induces neurogenesis and prevents astrocyte differentiation of P19 mouse embryonic carcinoma cells (Kim et al.).
- · Induces neuronal differentiation of human (SH-SY5Y) and mouse (Neuro-2a) neuroblastoma cells, and mouse NIH 3T3 fibroblast cells (Halder et al.).

References

Halder D et al. (2015) Synthetic small molecules that induce neuronal differentiation in neuroblastoma and fibroblast cells. Mol Biosyst 11(10): 2727–37.

Kim G-H et al. (2014) Imidazole-based small molecules that promote neurogenesis in pluripotent cells. Angew Chem Int Ed Engl 53(35): 9271–4.

Williams DR et al. (2008) Fluorescent high-throughput screening of chemical inducers of neuronal differentiation in skeletal muscle cells. Nat Protoc 3(5): 835–9.

Williams DR et al. (2007) Synthetic small molecules that induce neurogenesis in skeletal muscle. J Am Chem Soc 129(30): 9258-9.

Related Small Molecules

For a complete list of small molecules available from STEMCELL Technologies, visit www.stemcell.com/smallmolecules or contact us at techsupport@stemcell.com.

This product is hazardous. Please refer to the Safety Data Sheet (SDS).

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2017 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.