

Cytokines

Mouse Recombinant Noggin



Scientists Helping Scientists™ | WWW.STEMCELL.COM

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Catalog #	78061.1	5 µg
	78061	25 µg
	78061.2	1000 µg

Product Description

Noggin binds to and antagonizes bone morphogenic protein (BMP) ligands of the transforming growth factor beta (TGF- β) family. Noggin supports maintenance of undifferentiated human embryonic stem cells cultured in mouse embryonic fibroblast (MEF)-conditioned medium (Chaturvedi et al.), and promotes dopaminergic differentiation of embryonic stem cells and subsequent survival of dopamine neurons (Chiba et al.). Noggin is essential for development of ectodermal structures including neural tube, tooth, hair follicle, and eye, as well as patterning of mesodermal somites and skeletal structures. It also influences chondrogenesis, osteogenesis, and joint formation (Krause et al.).

Product Information

Alternative Names:	NOG, SYM1, SYNS1, Symphalangism 1 (proximal), Synostoses (multiple) syndrome
Accession Number:	P97466
Amino Acid Sequence:	LRAAPAGGQH YLHIRPAPSD NLPLVDLIEH PDPIFDPKEK DLNETLLRSL LGGHYDPGFM ATSPPEDRPG GGGGPAGGAE DLAELDQLLR QRPSGAMPSE IKGLEFSEGL AQGKKQRLSK KLRRKLQMWL WSQTFCPVLY AWNDLGSRFW PRYVKVGSCF SKRSCSVPEG MVCKPSKSVH LTVLRWRCQR RGGQRCGWIP IQYPISECK CSC
Predicted Molecular Mass:	23.8 kDa
Species:	Mouse
Cross Reactivity:	Not determined
Formulation:	Lyophilized after dialysis against phosphate-buffered saline.
Source:	CHO


Specifications

Activity:	The specific activity is $\geq 1.67 \times 10^4$ units/mg ($EC_{50} \leq 60$ ng/mL) as determined by a bioassay using ATDC5 cells in the presence of 10 ng/mL human BMP-4.
Purity:	$\geq 95\%$
Endotoxin Level:	Measured by kinetic Limulus amoebocyte lysate (LAL) analysis and is ≤ 0.2 EU/ μ g protein.

Preparation and Storage

Storage:	Store at -80°C.
Stability:	Stable as supplied for 12 months from date of receipt.
Preparation:	Centrifuge vial before opening. Reconstitute the product in sterile water to at least 0.1 mg/mL by pipetting the solution down the sides of the vial. Do not vortex. As a general guide, do not store at 2 - 8°C for more than 1 week or at -20°C for more than 2 months. Avoid repeated freeze-thaw cycles.

Data



(A) The biological activity of Mouse Recombinant Noggin was tested by its ability to inhibit BMP-4 induced alkaline phosphatase production of ATDC-5 cells. Inhibition of BMP-4 induced alkaline phosphatase production was measured using a fluorometric assay method. The EC₅₀ is defined as the effective concentration of the growth factor at which inhibition of alkaline phosphatase production is at 50% of maximum. The EC₅₀ in the above example is 8.7 ng/mL.

(B) 2 µg of Mouse Recombinant Noggin was resolved with SDS-PAGE under reducing (+) and non-reducing (-) conditions and visualized by Coomassie Blue staining. Mouse Recombinant Noggin has a predicted molecular mass of 23.8 kDa.

Related Products

For a complete list of cytokines, as well as related products available from STEMCELL Technologies, visit www.stemcell.com/cytokines or contact us at techsupport@stemcell.com.

References

- Chaturvedi G et al. (2009) Noggin maintains pluripotency of human embryonic stem cells grown on Matrigel. *Cell Prolif* 42(4): 425–33.
- Chiba S et al. (2008) Noggin enhances dopamine neuron production from human embryonic stem cells and improves behavioral outcome after transplantation into Parkinsonian rats. *Stem Cells* 26(11): 2810–20.
- Krause C et al. (2011) Noggin. *Int J Biochem Cell Biol* 43(4): 478–81.

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2018 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.